



GRORICH VELUM OUTDOOR ROOF & VELUM INDOOR SKYLIGHT SHADINGS CONCEPTS REPRESENT 'THE OPEN AIR CULTURE'

Grorich is committed to being the market leaders in retractable roofing technology & innovation in India, the Velum Retractable Shading System delivers unmatched post-free spans for larger commercial & residential applications.

- The Grorich Velum-track offers unmatched post-free coverage for larger alfresco spaces- Up to 5-meter projections can be achieved without the addition of additional structural posts or supports.
- Grorich Velum Retractable Roof System provides complete inbuilt design flexibility, functionality and safety. It is specifically designed to integrate easily with existing buildings surrounds or be configured as a stand-alone structure, integrated options include- Heating, Guttering & Lighting.
- Protection - Delivering optimum protection against sun, wind and rain. The Grorich Velum system has been designed and engineered to withstand wind speeds of up to 60km/hr.
- Functionality - Simply press the remote (switch operation also available) to extend or retract the Grorich Velum system to your desired position. Unlike conventional roofing or louvered roofs, the Grorich velum will not confine your area or add additional uncomfortable greenhouse type heat during the warmer months of the year.
- Technology - Manufactured utilising Ferrari Preconstraint Fabric Membrane -502, the result is an outstanding dimensional stability and mechanical strength. The anti-wicking Capillary Resistant Coating treatment guarantees resistance to harsh UV rays, and simplifies maintenance requirements.

- Quality – Designed and engineered to last, The Grorich Velum Retractable Roof Systems are European in design and made in India. Our unique manufacturing processes have been developed through our incessant innovation and quality culture, which permeates every aspect of our business, from design through to installation.

MAXIMUM SIZE

Velum Outdoor Roof Shading - 4mtr width x 5mtr projection

Velum Indoor Skylight Shading – 2.5mtr width x 5mtr projection

OPERATION

Motorised

HARDWARE

MATERIAL

All components made from anti-corrosive treated materials, including 316 stainless steel connectors & bolts, 6063 T⁶ grade extruded aluminium or epoxy coated mild steel support frame (available in choice of colors)

FABRIC OPTIONS

Velum Outdoor Roof Shading - Reinforced high-tensile polyester core PVC (Preconstraint Ferrari 502)

Velum Indoor Skylight Shading - Optional Soltis 86, 92 or 99 reinforced high-tensile polyester core sunscreens

CONTROL OPTIONS

Integrated lighting modules

Integrated electric radiant heat panels

Integrated drainage system



GRORICH HORIVERT pvt. ltd.

Symphony of Shades

Address : #49/2, Muthurayaswamy layout,
Srigandharakaval, Sunkadakatte, Magadi Road,
Bangalore - 560 091. India

Phone: +91 9845043292/ +91
9980043292

Email:

info@grorichhorivert.com

www.grorich.in